

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 1

## Canada Western Red Spring

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Harvest	17.6 (16.6)	22.3 (15.3)	6.8 (8.2)	27.4 (25.7)	0.0 (0.0)
Lillian	17.4 (19.5)	0.0 (0.1)	27.7 (31.6)	13.4 (17.7)	0.0 (0.0)
Unity VB	6.6 (1.6)	2.3 (0.5)	13.7 (3.3)	0.9 (0.4)	0.0 (0.0)
CDC Go	5.5 (5.9)	2.1 (2.4)	1.3 (1.6)	11.2 (12.2)	7.8 (0.0)
Superb	4.6 (6.0)	0.3 (1.1)	3.9 (6.4)	7.0 (8.3)	0.6 (0.0)
Kane	4.4 (6.2)	23.3 (25.4)	1.0 (1.3)	1.1 (1.2)	0.0 (0.0)
CDC Abound	3.6 (2.8)	0.1 (0.5)	2.5 (2.0)	6.1 (4.8)	0.0 (0.0)
AC Barrie	3.2 (4.8)	7.0 (10.3)	3.7 (5.0)	1.4 (1.8)	0.0 (0.0)
AC Eatonia	3.1 (3.0)	0.0 (0.1)	2.3 (2.4)	5.1 (5.2)	1.0 (0.0)
Goodeve VB	3.1 (0.7)	0.8 (0.3)	5.3 (1.0)	1.6 (0.6)	0.9 (0.0)
McKenzie	2.9 (4.1)	0.6 (1.4)	5.5 (8.4)	1.1 (1.2)	0.0 (0.0)
Glenn	2.9 (3.7)	16.1 (15.8)	0.5 (0.7)	0.7 (0.4)	0.0 (0.0)
Infinity	2.9 (2.7)	0.6 (0.8)	4.5 (4.9)	2.1 (1.6)	0.5 (7.9)
CDC Alsask	2.1 (0.8)	0.1 (0.2)	1.2 (0.6)	3.2 (1.0)	35.8 (36.1)
AC Intrepid	2.0 (2.0)	1.0 (0.6)	2.0 (2.1)	2.4 (2.3)	3.0 (35.7)
CDC Imagine	2.0 (2.3)	0.1 (0.7)	2.0 (2.4)	2.7 (3.1)	4.8 (0.0)
AC Splendor	1.8 (1.2)	1.5 (0.5)	2.5 (1.7)	1.2 (1.2)	5.6 (0.0)
AC Domain	1.6 (1.9)	9.5 (8.8)	0.2 (0.3)	0.1 (0.1)	0.0 (0.0)
Other	1.5 (2.0)	0.7 (1.8)	1.3 (1.5)	2.0 (2.5)	3.8 (2.8)
Prodigy	1.5 (2.5)	0.0 (0.2)	2.5 (2.9)	1.0 (3.4)	0.0 (2.8)
Stettler	1.2 (0.1)	0.0 (T)	T (T)	2.9 (0.2)	0.0 (0.0)
Waskada	1.1 (0.8)	1.4 (2.1)	1.8 (0.8)	0.2 (0.1)	0.0 (0.0)
CDC Teal	1.0 (1.4)	0.9 (1.3)	0.4 (1.5)	1.7 (1.5)	0.0 (0.0)
AC Cadillac	0.9 (1.3)	0.1 (1.0)	1.9 (2.5)	0.1 (0.2)	0.0 (0.0)
WR859CL	0.8 (0.3)	3.3 (0.9)	0.3 (0.1)	0.3 (0.2)	0.0 (0.0)
AC Elsa	0.8 (1.1)	0.0 (0.0)	1.3 (2.2)	0.5 (0.6)	0.0 (0.0)
Alvena	0.7 (0.6)	0.0 (0.3)	0.4 (0.4)	1.3 (1.0)	0.0 (0.0)
5602 HR	0.5 (2.1)	1.7 (6.1)	0.3 (1.5)	0.2 (0.7)	0.0 (0.0)
Columbus	0.5 (0.5)	0.0 (0.1)	1.0 (1.0)	0.1 (0.2)	0.0 (0.0)
CDC Osler	0.4 (0.2)	0.0 (0.0)	0.4 (0.5)	T (0.0)	28.1 (14.7)
5603 HR	0.4 (0.1)	2.0 (0.5)	0.1 (0.1)	0.0 (0.0)	1.8 (0.0)
Carberry	0.3 (0.0)	1.3 (0.0)	0.2 (0.0)	0.1 (0.0)	0.0 (0.0)
5400 IP	0.3 (0.3)	0.7 (0.8)	0.4 (0.4)	0.0 (T)	0.0 (0.0)
Fieldstar VB	0.3 (0.1)	0.1 (0.1)	0.5 (0.1)	0.1 (0.0)	0.0 (0.0)
CDC Bounty	0.2 (0.2)	0.0 (0.1)	0.2 (0.2)	0.3 (0.2)	0.0 (0.0)
AC Abbey	0.1 (0.1)	0.0 (0.0)	0.1 (0.2)	0.1 (T)	6.1 (0.0)
Journey	0.1 (0.2)	0.0 (0.0)	0.0 (T)	0.1 (0.4)	0.0 (0.0)
Shaw VB	T (0.0)	0.0 (0.0)	0.1 (0.0)	0.0 (0.0)	0.0 (0.0)
Peace	T (T)	0.0 (0.0)	0.0 (0.0)	0.1 (0.1)	0.0 (0.0)
Somerset	T (T)	0.1 (0.1)	0.0 (0.1)	T (T)	0.0 (0.0)

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 1

## Canada Western Red Spring

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Muchmore	T (0.0)	0.1 (0.0)	T (0.0)	T (0.0)	0.0 (0.0)
CDC Kernen	T (0.0)	0.0 (0.0)	0.1 (0.0)	0.0 (0.0)	0.0 (0.0)
Lovitt	T (0.1)	0.1 (0.1)	T (0.1)	0.0 (T)	0.0 (0.0)
CDC Thrive	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 2

## Canada Western Amber Durum

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Strongfield	<b>65.8</b> (60.5)	<b>0.0</b> (7.3)	<b>66.5</b> (62.8)	<b>62.3</b> (49.7)	<b>0.0</b> (100.0)
AC Avonlea	<b>12.8</b> (16.6)	<b>0.0</b> (51.8)	<b>11.9</b> (14.3)	<b>17.0</b> (27.9)	<b>0.0</b> (0.0)
AC Navigator	<b>8.5</b> (12.7)	<b>0.0</b> (0.0)	<b>9.6</b> (13.3)	<b>3.4</b> (9.9)	<b>0.0</b> (0.0)
Kyle	<b>5.7</b> (6.9)	<b>0.0</b> (0.0)	<b>5.4</b> (7.4)	<b>6.9</b> (4.5)	<b>0.0</b> (0.0)
CDC Verona	<b>5.4</b> (0.6)	<b>0.0</b> (0.0)	<b>4.8</b> (T)	<b>8.5</b> (3.3)	<b>100.0</b> (0.0)
Brigade	<b>0.9</b> (0.0)	<b>0.0</b> (0.0)	<b>1.1</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Other	<b>0.3</b> (0.7)	<b>0.0</b> (0.3)	<b>0.2</b> (0.8)	<b>0.9</b> (0.4)	<b>0.0</b> (0.0)
AC Morse	<b>0.2</b> (0.9)	<b>0.0</b> (0.0)	<b>T</b> (0.2)	<b>1.0</b> (4.4)	<b>0.0</b> (0.0)
Commander	<b>0.1</b> (0.3)	<b>0.0</b> (0.0)	<b>0.2</b> (0.4)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Enterprise	<b>0.1</b> (0.0)	<b>0.0</b> (0.0)	<b>0.1</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Eurostar	<b>0.1</b> (0.0)	<b>0.0</b> (0.0)	<b>0.1</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Napoleon	<b>T</b> (0.6)	<b>0.0</b> (40.6)	<b>T</b> (0.7)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 3

## Canada Western Hard White Spring

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Snowstar	<b>54.4</b> (59.1)	<b>100.0</b> (93.1)	<b>32.7</b> (48.7)	<b>45.7</b> (45.7)	<b>0.0</b> (0.0)
Snowbird	<b>45.6</b> (40.9)	<b>0.0</b> (6.9)	<b>67.3</b> (51.3)	<b>54.3</b> (54.3)	<b>0.0</b> (0.0)
Kanata	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 4

## Canada Western Extra Strong

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Corinne	33.3 (0.0)	0.0 (0.0)	34.7 (0.0)	0.0 (0.0)	0.0 (0.0)
Other	32.2 (0.0)	0.0 (0.0)	33.5 (0.0)	0.0 (0.0)	0.0 (0.0)
Burnside	30.6 (37.8)	0.0 (0.0)	31.8 (69.7)	0.0 (0.0)	0.0 (0.0)
Bluesky	3.8 (41.0)	0.0 (0.0)	0.0 (0.0)	100.0 (100.0)	0.0 (0.0)
Glencross VB	0.0 (12.8)	0.0 (0.0)	0.0 (23.6)	0.0 (0.0)	0.0 (0.0)
Glenlea	0.0 (4.8)	0.0 (100.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
CDC Rama	0.0 (3.6)	0.0 (0.0)	0.0 (6.7)	0.0 (0.0)	0.0 (0.0)
Laser	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Amazon	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Walrus	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Wildcat	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Glenavon	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
CDC Bison	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 5

## Canada Prairie Spring White

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Vista	<b>60.1</b> (92.6)	<b>0.0</b> (100.0)	<b>61.7</b> (90.2)	<b>0.0</b> (100.0)	<b>0.0</b> (0.0)
AC Karma	<b>34.2</b> (0.0)	<b>0.0</b> (0.0)	<b>35.1</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Other	<b>5.8</b> (7.4)	<b>0.0</b> (0.0)	<b>3.2</b> (9.8)	<b>100.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 6

## Canada Prairie Spring Red

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Foremost	<b>45.6</b> (36.5)	<b>0.0</b> (0.0)	<b>14.2</b> (9.6)	<b>52.6</b> (43.3)	<b>0.0</b> (0.0)
5700PR	<b>31.2</b> (33.0)	<b>0.0</b> (0.0)	<b>40.6</b> (32.1)	<b>28.3</b> (33.3)	<b>100.0</b> (0.0)
AC Crystal	<b>9.3</b> (16.6)	<b>0.0</b> (0.0)	<b>29.9</b> (42.5)	<b>5.2</b> (10.2)	<b>0.0</b> (0.0)
5701PR	<b>6.5</b> (5.3)	<b>0.0</b> (100.0)	<b>0.0</b> (0.0)	<b>7.9</b> (6.4)	<b>0.0</b> (0.0)
5702PR	<b>6.0</b> (4.7)	<b>0.0</b> (0.0)	<b>9.1</b> (14.1)	<b>5.4</b> (2.4)	<b>0.0</b> (0.0)
Other	<b>1.5</b> (2.7)	<b>0.0</b> (0.0)	<b>6.1</b> (0.0)	<b>0.6</b> (3.4)	<b>0.0</b> (0.0)
AC Taber	<b>0.0</b> (1.1)	<b>0.0</b> (0.0)	<b>0.0</b> (1.8)	<b>0.0</b> (0.9)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 7

## Canada Western Red Winter

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Radiant	<b>29.3</b> (26.0)	<b>0.0</b> (0.0)	<b>17.7</b> (13.4)	<b>54.2</b> (61.1)	<b>0.0</b> (0.0)
CDC Buteo	<b>29.1</b> (21.5)	<b>22.5</b> (20.7)	<b>65.5</b> (45.2)	<b>10.7</b> (5.4)	<b>0.0</b> (0.0)
CDC Falcon	<b>20.3</b> (28.0)	<b>73.7</b> (75.1)	<b>0.6</b> (0.0)	<b>0.0</b> (0.6)	<b>0.0</b> (0.0)
AC Bellatrix	<b>11.4</b> (6.7)	<b>0.0</b> (0.0)	<b>5.2</b> (4.9)	<b>22.2</b> (14.6)	<b>0.0</b> (0.0)
CDC Osprey	<b>3.0</b> (4.5)	<b>0.0</b> (0.0)	<b>1.0</b> (4.7)	<b>6.1</b> (9.0)	<b>0.0</b> (0.0)
CDC Raptor	<b>2.5</b> (5.9)	<b>0.0</b> (1.4)	<b>4.3</b> (19.4)	<b>3.0</b> (0.9)	<b>0.0</b> (0.0)
CDC Kestrel	<b>1.1</b> (0.2)	<b>2.4</b> (0.4)	<b>1.5</b> (0.1)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
CDC Clair	<b>1.0</b> (3.8)	<b>0.0</b> (0.0)	<b>1.8</b> (10.2)	<b>1.2</b> (3.1)	<b>0.0</b> (0.0)
AC Readymade	<b>0.7</b> (0.5)	<b>0.0</b> (0.0)	<b>2.4</b> (0.0)	<b>0.0</b> (1.2)	<b>0.0</b> (0.0)
AC Tempest	<b>0.7</b> (0.5)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>1.5</b> (1.5)	<b>0.0</b> (0.0)
Norstar	<b>0.5</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>1.2</b> (0.0)	<b>0.0</b> (0.0)
McClintock	<b>0.4</b> (0.7)	<b>1.4</b> (1.9)	<b>T</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Other	<b>T</b> (1.6)	<b>0.0</b> (0.5)	<b>0.0</b> (1.7)	<b>T</b> (2.6)	<b>0.0</b> (0.0)
CDC Harrier	<b>0.0</b> (0.1)	<b>0.0</b> (0.0)	<b>0.0</b> (0.4)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 8

## Canada Western Soft White Spring

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Andrew	<b>82.3</b> (95.0)	<b>100.0</b> (90.2)	<b>83.9</b> (96.5)	<b>68.2</b> (77.1)	<b>0.0</b> (0.0)
Sadash	<b>17.7</b> (3.9)	<b>0.0</b> (9.8)	<b>16.1</b> (2.6)	<b>31.8</b> (18.5)	<b>0.0</b> (0.0)
Bhishaj	<b>0.0</b> (0.7)	<b>0.0</b> (0.0)	<b>0.0</b> (0.6)	<b>0.0</b> (2.9)	<b>0.0</b> (0.0)
AC Meena	<b>0.0</b> (0.4)	<b>0.0</b> (0.0)	<b>0.0</b> (0.3)	<b>0.0</b> (1.5)	<b>0.0</b> (0.0)
Other	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
AC Phil	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
AC Reed	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
AC Nanda	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 9

## Canada Western General Purpose

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
CDC Ptarmigan	<b>97.0</b> (71.3)	<b>0.0</b> (70.2)	<b>97.3</b> (0.0)	<b>96.1</b> (88.5)	<b>0.0</b> (0.0)
Other	<b>3.0</b> (10.2)	<b>0.0</b> (10.2)	<b>2.7</b> (0.0)	<b>3.9</b> (11.5)	<b>0.0</b> (0.0)
Accipiter	<b>0.0</b> (12.3)	<b>0.0</b> (12.7)	<b>0.0</b> (100.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Peregrine	<b>0.0</b> (6.2)	<b>0.0</b> (6.9)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Broadview	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Minnedosa	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 10

## Malting -- Two-Row

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
AC Metcalfe	<b>54.2</b> (61.1)	<b>33.4</b> (36.3)	<b>56.8</b> (62.2)	<b>52.3</b> (64.4)	<b>72.7</b> (100.0)
CDC Copeland	<b>26.2</b> (24.1)	<b>20.1</b> (16.3)	<b>23.4</b> (25.6)	<b>30.3</b> (23.6)	<b>0.0</b> (0.0)
Newdale	<b>5.8</b> (5.2)	<b>40.3</b> (42.2)	<b>3.8</b> (2.6)	<b>5.6</b> (1.6)	<b>0.0</b> (0.0)
CDC PolarStar	<b>5.6</b> (3.6)	<b>0.0</b> (0.0)	<b>9.5</b> (5.2)	<b>1.2</b> (2.0)	<b>0.0</b> (0.0)
CDC Meredith	<b>2.6</b> (0.6)	<b>2.2</b> (0.0)	<b>2.1</b> (0.5)	<b>3.4</b> (0.9)	<b>0.0</b> (0.0)
CDC Kendall	<b>2.5</b> (2.4)	<b>0.0</b> (0.0)	<b>1.5</b> (1.5)	<b>3.9</b> (4.2)	<b>0.0</b> (0.0)
Other	<b>1.3</b> (1.7)	<b>1.2</b> (5.2)	<b>1.5</b> (1.4)	<b>1.2</b> (1.4)	<b>0.0</b> (0.0)
Bentley	<b>0.9</b> (0.0)	<b>2.8</b> (0.0)	<b>0.2</b> (0.0)	<b>1.6</b> (0.0)	<b>0.0</b> (0.0)
Harrington	<b>0.9</b> (1.3)	<b>0.0</b> (0.0)	<b>1.1</b> (1.0)	<b>0.4</b> (1.9)	<b>27.3</b> (0.0)
CDC Reserve	<b>0.1</b> (0.0)	<b>0.0</b> (0.0)	<b>0.2</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 11

## Malting -- Six-Row

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Legacy	<b>55.1</b> (47.6)	<b>19.7</b> (36.0)	<b>78.8</b> (65.0)	<b>10.4</b> (11.8)	<b>0.0</b> (0.0)
Tradition	<b>14.9</b> (21.8)	<b>29.2</b> (30.9)	<b>10.8</b> (16.7)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Robust	<b>8.3</b> (2.0)	<b>7.0</b> (2.7)	<b>2.4</b> (0.4)	<b>47.6</b> (7.8)	<b>0.0</b> (0.0)
Stellar - ND	<b>7.3</b> (12.0)	<b>21.7</b> (16.9)	<b>1.9</b> (9.3)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Lacey	<b>6.0</b> (7.0)	<b>5.8</b> (9.1)	<b>2.6</b> (0.0)	<b>26.8</b> (35.8)	<b>0.0</b> (0.0)
Celebration	<b>4.4</b> (0.0)	<b>10.5</b> (0.0)	<b>2.4</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Other	<b>3.8</b> (9.2)	<b>6.2</b> (4.3)	<b>0.8</b> (8.5)	<b>15.2</b> (41.8)	<b>0.0</b> (0.0)
CDC Clyde	<b>0.2</b> (0.3)	<b>0.0</b> (0.0)	<b>0.3</b> (0.2)	<b>0.0</b> (2.9)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 12

## Two-Row and Six-Row Malting Barley

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Malting -- Two-Row	<b>92.2</b> (91.9)	<b>58.2</b> (65.7)	<b>91.2</b> (93.0)	<b>98.0</b> (98.2)	<b>100.0</b> (100.0)
Malting -- Six-Row	<b>7.8</b> (8.1)	<b>41.8</b> (34.3)	<b>8.8</b> (7.0)	<b>2.0</b> (1.8)	<b>0.0</b> (0.0)
<b>* Trace: less than 0.05 percent</b>					

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 13

## Hulless -- Two-Row

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
CDC McGwire	<b>100.0</b> (47.4)	<b>0.0</b> (0.0)	<b>100.0</b> (47.4)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
CDC Fibar	<b>0.0</b> (28.1)	<b>0.0</b> (0.0)	<b>0.0</b> (28.1)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Other	<b>0.0</b> (24.6)	<b>0.0</b> (0.0)	<b>0.0</b> (24.6)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Millhouse	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
CDC Rattan	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 14

## Hulless -- Six-Row

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Other	<b>94.7</b> (100.0)	<b>94.7</b> (0.0)	<b>0.0</b> (100.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
AC Bacon	<b>5.3</b> (0.0)	<b>5.3</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
Tyto	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 15

## Feed Barley -- Two-Row

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Xena	41.6 (42.8)	0.0 (0.0)	16.8 (30.9)	47.0 (49.7)	9.5 (29.6)
Champion	12.6 (0.0)	9.5 (0.0)	22.0 (0.0)	11.3 (0.0)	23.8 (0.0)
Conlon	12.3 (20.4)	62.0 (67.6)	15.8 (23.1)	9.6 (14.5)	35.3 (0.0)
Other	8.7 (13.1)	16.1 (27.0)	10.5 (15.7)	8.2 (11.1)	0.0 (39.5)
CDC Coalition	7.4 (0.0)	7.7 (0.0)	6.8 (0.0)	7.6 (0.0)	0.0 (0.0)
CDC Cowboy	6.7 (7.9)	4.7 (4.3)	11.5 (20.3)	6.1 (6.4)	10.5 (0.0)
Ponoka	5.0 (7.1)	0.0 (0.0)	0.4 (1.5)	5.8 (8.8)	21.0 (0.0)
Mcleod	3.0 (4.1)	0.0 (0.0)	16.1 (8.4)	1.4 (3.9)	0.0 (30.9)
Seebe	2.0 (2.2)	0.0 (0.0)	0.0 (0.0)	2.4 (2.7)	0.0 (0.0)
CDC Bold	0.6 (2.3)	0.0 (T)	0.0 (0.2)	0.7 (2.9)	0.0 (0.0)
CDC Mindon	0.0 (0.1)	0.0 (1.2)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 16

## Feed Barley -- Six-Row

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Other	<b>30.5</b> (24.0)	<b>4.8</b> (16.5)	<b>2.7</b> (22.3)	<b>34.7</b> (26.4)	<b>84.1</b> (0.0)
Sundre	<b>18.7</b> (26.2)	<b>0.0</b> (27.2)	<b>9.1</b> (18.9)	<b>23.7</b> (30.0)	<b>0.0</b> (12.6)
AC RANGER	<b>18.0</b> (8.7)	<b>95.2</b> (37.4)	<b>51.2</b> (19.1)	<b>6.9</b> (1.1)	<b>0.0</b> (0.0)
Stander	<b>9.0</b> (10.6)	<b>0.0</b> (0.0)	<b>3.7</b> (7.7)	<b>11.7</b> (12.3)	<b>0.0</b> (35.1)
Trochu	<b>6.6</b> (0.0)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>9.3</b> (0.0)	<b>0.0</b> (0.0)
Vivar	<b>6.2</b> (12.8)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)	<b>8.7</b> (20.6)	<b>0.0</b> (0.0)
AC Rosser	<b>5.9</b> (8.7)	<b>0.0</b> (18.9)	<b>30.4</b> (25.4)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)
AC Lacombe	<b>5.1</b> (8.9)	<b>0.0</b> (0.0)	<b>2.8</b> (6.6)	<b>5.0</b> (9.6)	<b>15.9</b> (52.3)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 17

## All Barley (Malting, Feed and Hulless)

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Malting -- Two-Row	<b>51.4</b> (50.9)	<b>37.6</b> (39.3)	<b>76.9</b> (76.9)	<b>37.3</b> (35.7)	<b>26.5</b> (53.0)
Feed -- (2 & 6 Row)	<b>44.1</b> (44.6)	<b>34.6</b> (40.2)	<b>15.3</b> (17.0)	<b>62.0</b> (63.7)	<b>73.5</b> (47.0)
Malting -- Six-Row	<b>4.3</b> (4.5)	<b>27.1</b> (20.5)	<b>7.4</b> (5.8)	<b>0.8</b> (0.7)	<b>0.0</b> (0.0)
Hulless -- (2 & 6 Row)	<b>0.2</b> (0.1)	<b>0.7</b> (0.0)	<b>0.4</b> (0.2)	<b>0.0</b> (0.0)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent

# 2011 CANADIAN WHEAT BOARD VARIETY SURVEY

Table 18

## All Wheat

Percentage of seeded acres / ( ) = last year

Variety	Prairie Average	Manitoba	Saskatchewan	Alberta	British Columbia
Canada Western Red Spring	<b>73.5</b> (74.1)	<b>92.4</b> (90.0)	<b>62.5</b> (62.2)	<b>81.9</b> (82.3)	<b>95.9</b> (98.8)
Canada Western Amber Durum	<b>19.0</b> (17.3)	<b>0.0</b> (0.1)	<b>31.1</b> (30.4)	<b>8.8</b> (8.3)	<b>0.4</b> (1.2)
Canada Western Red Winter	<b>2.9</b> (3.6)	<b>6.7</b> (7.8)	<b>1.6</b> (2.0)	<b>3.5</b> (3.7)	<b>0.0</b> (0.0)
Canada Prairie Spring Red	<b>2.1</b> (2.0)	<b>0.0</b> (T)	<b>0.7</b> (0.8)	<b>4.6</b> (4.4)	<b>3.8</b> (0.0)
Canada Western Soft White Spring	<b>1.9</b> (1.8)	<b>0.1</b> (0.3)	<b>3.3</b> (3.5)	<b>0.5</b> (0.4)	<b>0.0</b> (0.0)
Canada Western Hard White Spring	<b>0.4</b> (0.9)	<b>0.8</b> (1.4)	<b>0.3</b> (0.9)	<b>0.5</b> (0.8)	<b>0.0</b> (0.0)
Canada Western General Purpose	<b>0.1</b> (0.1)	<b>0.0</b> (0.4)	<b>0.2</b> (T)	<b>0.1</b> (T)	<b>0.0</b> (0.0)
Canada Prairie Spring White	<b>0.1</b> (0.1)	<b>0.0</b> (T)	<b>0.2</b> (0.2)	<b>T</b> (0.1)	<b>0.0</b> (0.0)
Canada Western Extra Strong	<b>T</b> (0.1)	<b>0.0</b> (T)	<b>0.1</b> (0.1)	<b>T</b> (0.1)	<b>0.0</b> (0.0)

\* Trace: less than 0.05 percent